# 2013 Interferometry Forum Report

Gerard van Belle<sup>1</sup>, Stephen Ridgway<sup>2</sup>, Theo ten Brummelaar<sup>3</sup>

<sup>1</sup>Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, Arizona, USA 86001

<sup>2</sup>National Optical Astronomy Observatories, P.O. Box 26732, Tucson, Arizona, USA 85726

<sup>3</sup>Georgia State University, CHARA Array, P.O. Box 48, Altadena, California, USA 91023

Abstract. The 2013 Interferometry Forum was organized around a list of topics - each topic had a moderator and an archivist. Each participant in the forum had one or more assignments - this was not a meeting for passive participation. The following summaries are a slightly edited version of those notes; conclusions and recommendations are presented at the end of the document.<sup>1</sup>

# 1. Discussions from Friday, March 15, 2013

## 1.1 Forum Concept Presentation and Initial Discussion

Moderator: van Belle; Archivist: Baines

The **2013 Optical Interferometry Forum** was a special opportunity to get together and talk about a technique that is both important to our various areas of expertise, and scientifically productive. The interferometry community has this opportunity only infrequently and incompletely, so having a more focused event with adequate time for discussion was, we felt, important. The attendance for the Forum was solicited from throughout the community and largely self-selecting; the organizers (Steve Ridgway, Gerard van Belle, Theo ten Brummelaar, Guy Perrin) accepted every request for attendance.

The rationale for the Forum can be summed up in two sides to the issue:

We live in a time of **Great Disturbances**: Big things are happening in astronomy that unsettle the status quo and make it challenging to develop and use the technique of optical interferometry. In the United States, this in particular includes the Decadal Review, and even the detailed plans laid out therein arent quite happening as expected because of funding issues. On the European

<sup>&</sup>lt;sup>1</sup>An expanded version of the Forum Report may be found online at the IAU Commission 54 website, http://iau-c54.wikispaces.com/2013+Interferometry+Forum.

side, if the need for high spatial resolution is correctly described in the Science Vision document of ASTRONET, its declination in the Infrastructure Roadmap is clearly postponed. Development of JWST and the next generation of large ground-based telescopes require lots of resources, and operating costs of new facilities that are coming online (such as ALMA) have a large impact as well.

We also live in a time of **Great Opportunities**: There will be a time after JWST. The CHARA Array is soldiering along, the NPOI upgrades are poised to revitalize the instrument, VLTI has upgrades under development, there are new efforts in LBTI and MROI, and China is developing Dome A. The scientific productivity of the existing facilities is robust and unique.

All these circumstances inspired the organizers to put this forum together. The intent was to supplement the SPIE meetings (but not to supplant them). The annual CHARA Science Review meetings have been going on for a while and are growing in scope; this idea grew out of those meetings. Future versions of this Forum may grow into an 'official' interferometry meeting.

The questions we aimed to address by the end of the Forum:

- How do we envision this forum as related to other existing structure, such as the IAU, USIC, OLBIN, EII? We shouldnt duplicate those efforts.
- Do we want future meetings? Are they associated with the SPIE or other meetings? Are they combined with the interferometry schools in Europe?
- Do we want proceedings? The answer is probably yes. What are those written products?
- How do we best construct a plan for the future?

## 1.2 Active Plans of Current Facilities

### Moderator: Herbst; Archivist: Baron

Active instrumentation plans and/or statuses of the following facilities were presented (and are detailed in the expanded forum report): the Very Large Telescope Interferometer (VLTI); the Navy Precision Optical Interferometer (NPOI); the Georgia State University (GSU) Center for High Angular Resolution Astronomy (CHARA) Array; the Large Binocular Telescope (LBT); the Sydney University Stellar Interferometer (SUSI); New Mexico Tech's (NMT) Magdalena Ridge Optical Interferometer (MROI); Berkeley's Infrared Stellar Interferometer (ISI); the Keck Interferometer (KI); the OHANA (Optical Hawaiian Array for Nanoradian Astronomy) effort; the Cambridge Optical Aperture Synthetic Telescope (COAST); A. Labeyries 'hypertelescope' project ongoing in France; and NASA Goddard's Balloon Experimental Twin Telescope for Infrared Interferometry (BETTII).

1.3 Significant Developments in Technology - Achieved or Needed

#### Moderator: Buscher; Archivist: Berger

New technology developments should be driven not only by the main scientific requirements but also by what is technically feasible - there is an interactive relationship between the science and the technology. For optical long baseline interferometry the main science necessities are to raise the limiting magnitudes, to improve the imaging capability, to allow for faint companion detection and characterization and to a lesser extent to allow scientific polarimetric measurements and astrometry.

One of the considerable advances in the coming years will be the arrival of new technology detectors such as the SELEX currently being test-developed at ESO in collaboration with other partners. These detectors should provide kHz readout possibilities with sub-electron read noise. Finally, multi-telescope phase-tracking systems should enable long integrations.

Pushing the aperture synthesis imaging capability requires more telescopes. The development of low-cost telescopes that are reliable, resistant to vibrations and possibly relocatable would help with this. Beam transportation through fiber optics could be further studied. At the central laboratory multi-telescope combiners will be needed with spatial/modal filtering capabilities and improved calibration capability of temporal effects.

#### 1.4 Funding and Other Practical Matters

#### Moderator: Wishnow; Archivist: Creech-Eakman

The various interferometry groups reported on current and near-term funding. There is not a surfeit of funding or human resources, particularly for all US-based facilities. The results of the top-level 2010 Astrophysics Decadal report have made it very difficult to obtain operational funding from US funding agencies, except in the case that this funding comes from PI based proposals for scientific experiments or new technologies. While the primary source of funding in the US for present-day interferometric science is NSF, we have previously benefitted (and some still do) from funds garnered via: the Defense Department (ONR, NRL, DARPA), NASA, and some state and institutional funds. As a community we have experienced limited success from philanthropic groups. While it appears that US-based facilities will continue to approach all of the same funding agencies, it is clear that operational support is not something most of these funding agencies are able or are eager to support.

In Europe the funding for VLTI is exclusively through ESO, and individual interferometer backends (e.g., beamcombiners and detectors) are provided by the community-funded national organizations or international partnerships. The status of the individual projects is fairly complex in almost all cases, and there is no clear path to medium and long-term funding.

1.5 Long Term Perspective on Astronomy Programs - Relation of Interferometry to Other Facilities

#### Moderator: Mourard; Archivist: Tuthill

The lesson from projects and programs that have been successful in securing resources both for construction and for ongoing science support is that broad based community support is required to drive major investment. It is not clear that the interferometry community has been successful in such community building (or even community awareness) for the science we do. In order to launch major initiatives, often decades of careful lobbying and awareness raising are required.

The formal process by which this is done is usually through national or transnational planning processes such as the Decadal Plan in the US or the AS-TRONET 2020-40 exercise in Europe. Here we take the latter as an example (these exercises usually come up with broadly common science themes which are judged to be top priorities). In general, it was recognized that interferometry was poorly represented in such exercises on both sides of the Atlantic. The onus is on the interferometry community to attempt to make the case for a stronger presence in future exercises of this type.

Analysis of the four main ASTRONET science cases with highlighting of items especially relevant to optical interferometry: Do we understand the extremes of the Universe? How do galaxies form and evolve? What is the origin and evolution of stars and planets? How do we fit in?

The good news is that interferometry, as presently formulated, does seem directly applicable to large parts of two of the four major themes from ASTRONET. There was discussion (although no consensus) on the question as to whether it is more important to play to those strengths we already do well, or to try to expand to tick more of the boxes with our instruments. In the end this decision may be taken out of our hands by technical arguments - the parts of astronomy we dont contribute to are hard for fundamental detection reasons.

It was recognized that none of the present crop of major instruments could be considered to be fully "mature", and in this sense we can expect a continuing strong growth in science even with no major new investment at the scale of a major facility.

#### 1.6 Next-Generation Interferometric Science - Opportunities and Requirements

### Moderator: Berger; Archivist: Petrov

The discussion started by asking the instrument or facility representatives to say a few words about: their scientific drivers, what kind of trend they see in their use, and their subjective feeling of success. A broad range of instruments and programs was quoted. The following is an attempt to isolate some key points.

Old and new science goals and trends. We have evolved from "fundamental parameters" (diameters, masses, distances) to "general stellar astrophysics". There is an (unfinished) evolution from performance to science driven designs. We have not delivered all that we initially promised. We have actually delivered much more. For example, we have (a) solved "old" astrophysical problems and modified new ones; (b) provided images on complex objects with unexpected shapes. One major field has been abandoned: the direct detection and characterization of extrasolar planets. More precisely, this field has abandoned us: ground and space interferometry are not expected to be a major contributor to this topic any more. This has a major impact on the long term plans for major interferometers. There is an open discussion about the real future of extragalactic applications: is it enough to increase the limiting magnitudes; when do we need to move to much larger baselines; is there a major science case beyond AGNs and QSOs?

Marketing strategy. We discussed the need to advertise attractive science goals, with the risk of overselling our potential and being eventually punished for it. Even if we had to abandon some topics, we have not really oversold the potential of interferometry, which has delivered a fair deal of what it promised plus a large sample of unplanned results. Another discussion about our "marketing" strategy is about the necessity to insert our science potential into the large objectives of the ASTRONET or US Decadal prospective. We need to place interferometry in this global landscape if we want to obtain substantial resources. However, by doing so, we might harm some important "basic" science and blind ourselves to new perspectives. These debates about "marketing" are not closed.

Past and present perspective. Ten years ago, Optical Interferometry was a difficult technique, with very few results, and a grandiose future, with a long term path: the "small interferometers", then VLTI-KI, then DARWIN-SIM, then some kind of OVLA. Now, optical interferometry is a difficult technique, with a lot of results, great expectations for the 2015-2020 period, and a dim future. After the 2nd generation VLTI instruments (e.g. GRAVITY) and the completion/extension of the US arrays, the horizon is opaque. We need a long term perspective: our grail could be a super interferometer, imaging very faint targets with dense u-v coverage and kilometric baselines, or as this might be overwhelmingly expensive, we could switch to two more "modest" projects: (a) A very good imaging interferometer, with very dense u-v coverage, but relatively less demanding in sensitivity and maybe resolution (a super CHARA or NPOI+ or MROI+); (b) An interferometer shaped for very faint sources at very high angular resolution, with a smaller number of larger apertures (a super VLTI, not necessarily on Paranal). We have the tools to specify and evaluate such concepts, but we need to coordinate this evaluation and to agree on the criteria and the procedure.

#### 2. Discussions from Saturday, March 16, 2013

## 2.1 Forum Concept - Discussion Continues

### Moderator: ten Brummelaar; Archivist: Schmitt

The general consensus was that, while having a gathering on this topic was productive, a specific set of outcomes from this meeting was necessary. Who are we and why are we here? Is this meeting to plan for more planning meetings? Are we working towards an optical VLA? Towards a space mission? Are we simply trying to stay alive? It seemed that all of these things applied.

What can we do that no one else can do? Is there a need for a global and unified vision? ESO is "only a small part of our user base"; in the USA the next decadal review already looms large on the horizon. There was broad agreement that a unified global vision is required.

Do we do this under an IAU Banner? Yes. The IAU, not only Commission 54, should take a role in leading and guiding, or at the least coordinating and endorsing, the development of this vision.

How do we best sell ourselves to the community? The potential user base is larger than most people think.

Should there be a publication or written statement from this meeting? Yes; there was broad agreement that we should have a written record of this discussion. The forum chairs will put together an executive summary to be distributed amongst the forum members and published in some manner, on the OLBIN email list at a minimum.

Is this the forum for building a long term science case? Yes; we should think on the time scales ranging from a few years through to the time of the next decadal survey and even longer. A consensus is needed in order to promote a big instrument like an OVLA. ALMA is be a good example. A roadmap for future developments is needed. The US and EU roadmaps are not well coordinated, which should be changed. The IAU C54 Chair should appoint a panel chair to coordinate this work.

In order to prepare for a major facility in the future, it is necessary to do a lot of preparation over many years. In order to make this preparation happen, it is necessary to begin working now or soon.

This forum is not an alternative to the SPIE but offers an opportunity for interaction that has not been achieved at the SPIE. There was a consensus that the forum should be repeated in an annual or biennial pace. Considerations for possible future forum meetings:

- In SPIE years, it is possible to have a Forum meeting separate from but adjacent to the SPIE, or to have a segment of the SPIE meeting devoted to Forum activities.
- What about non-SPIE years? One option is to have it in non-SPIE years, possibly as an additional meeting during the CHARA meetings. The CHARA annual science meeting has developed over the years, and this year includes NPOI. What direction might it go in the future? Perhaps it could extend its scope to include at least some aspects of activities at other facilities.

Part of the value of this meeting is the relatively small attendance and the resulting intense participation by attendees. Should the meeting size be limited in the future? Should future Forum participation remain self selected?

## 2.2 Interferometry User and Operator Experience

## Moderator: Delplancke; Archivist: Stencel

The following topics related to the status of various facilities - the VLTI, Keck-I, CHARA, NPOI, MROI, LBTI and LINC NIRVANAwere addressed: Is the facility an open user and/or a proprietary user facility? How is the time allocated? How organized are the data acquisition and reduction? Is user support available? Are the data archived? And is the archive publicly available? What were the difficult things that went well and what were the easy things that turned out to be difficult?

The advantage of having an open user community or at least to partially opening a facility to all users is the increased the scientific return. Some proprietary facilities are sitting on unreduced data due to lack of available manpower.

The usefulness of OIFITS data format was discussed. The advantages are that imaging data packages are based on that format and that it allows combining observations from different facilities (e.g. CHARA and VLTI). However, in the case of some very specialized instruments, the current format is not enough. We should consider whether improvements to OIFITS are needed and whether its use should continue to be recommended. The availability of good data reduction packages, properly supported, is essential if we want to widen our user community.

To attract external interest, proprietary and new facilities could host an online catalog of observed target and calibrator objects, even if making OIFITS or equivalent data generally available comes (much) later.

## 2.3 Blue Sky Thinking

Moderator: Eisner; Archivist: Payne

We need to identify high profile science goals that only interferometry can attack. If the science is compelling enough but is out of the reach of current facilities, we may be able to promote a new facilityspace- or ground-based, as the science dictatesas a single experiment (e.g., the Event Horizon Telescope). When new facilities are built, they often work well beyond the original science goals. But we also need to identify science goals that get the most out of current facilities. HST is a good example.

Example science goals that were discussed: such as precision astrometry in dense fields and low-mass exoplanets in clusters. Science of interest outside astronomy that may yield support, eg. wide angle astrometry is of interest to the Navy and should be of interest to NASA (GAIA will not hit the bright stars needed for navigation). Basic limits need to be recognized: sensitivity to low surface brightness features (galaxies for example have very low surface brightness, although this may not be as true of emerging galaxies) often requires good u, v coverage; using longer baselines leads to less flux per resolution element, which may drive a need for larger apertures. Technological possibilities to be explored: increasing aperture diameter: bigger is better (modulo AO problems); more apertures: improves u,v coverage at the possible cost in sensitivity and the certainty of higher expense; etc. Site considerations: High? Cold? Space?

### 2.4 International Collaborations and Coordination

#### Moderator: Armstrong; Archivist: Herbst

Hardware Collaboration. Instrumental collaborations are more difficult than observational collaborations. One of the primary obstacles to instrumental collaboration is the perception that, e.g., a proposal to VLTI must have a European PI. In actuality, ESO evaluates proposals without regard to where they come from, but allocation considers PI institution. Being Co-I is the route to follow. Instrumental collaboration at CHARA has taken the form of outside users, many of them European, bringing instrumentation to CHARA. This approach has worked well in making CHARA scientifically productive.

Observational Collaboration. Our interferometer facilities are complementary in interesting ways. One example is CHARA and NPOI baselines for visible imaging. Another is VLTI and CHARA baselines for near-IR imaging. If multiple facilities can be utilized in coordination to produce better science, it will benefit not just the particular project, but the entire community. It was suggested that CHARA and ESO might coordinate to offer access to both the ESO AT's and the CHARA Array for proposals which need both.

Collaboration on Software. Is there a regime between highly instrumentspecific data-processing and high-level imaging on which collaboration would be useful? Collaboration could range from exchange of approaches to production of software. An EII collaboration with moderate funding from ESO has started, focused on coordinating image reconstruction algorithms, developing cookbooks and making how they work clearer. The above-mentioned JMMC OI database is partially funded through this EII grant.

## 2.5 The Role of Formal and Informal Community Organizations and Networking

#### Moderator: Mozurkewich; Archivist: Elias

Communication among the various groups around the world is lacking. Better communication is required for the survival of optical interferometry, successfully funding next generation instruments, and organizing for the next decadal review. Getting together every two years at an SPIE meeting is not sufficient. OLBIN has been the communications vehicle in the past, but there has been very little recent activity. It was proposed to upgrade OLBIN to a wiki, which is newer technology. It was also proposed to start a Facebook page for more rapid dissemination of relevant information. Both the wiki and the Facebook page would be run under the auspices of IAU Commission 54.

In Europe, EII is the voice of the VLTI community; it makes recommendations to ESO. It has been proposed to resurrect the moribund USIC as the US equivalent to EII to speak on behalf of the optical interferometry community to NSF and the next decadal review. EII runs workshops and schools. Is that possible for USIC? It was also suggested that EII, USIC, and possibly other groups organize for global planning. What do groups have in common, how do their efforts complement each other, and how can we coordinate more effectively to revitalize the field?

*Plans for Future Activities.* One model: an interferometry science & technology meeting (ISTM): the Annual CHARA Science Review has evolved (for 2013) into CHARA-NPOI. Should it evolve further into an ISTM? Frequency: annually to every two years? For the latter, the SPIE 'off' years could be when a larger ISTM is held.

Future forum details. Keeping the attendance modest, to  $\sim 20$  people, is helpful to streamline discussion & interactions. Complete or nearly-completely representation from world interferometry groups is desirable. Such future forums could be adjunct to SPIE or ISTM meetings, just as the 2013 Forum was adjacent on the calendar to the CHARA-NPOI meeting.

#### 3. Conclusions

- Interferometry has gone from an exotic technique with promise, to a demonstrated technique with a steadily growing technical capability, a large and active community, and significant impact on stellar physics.
- Opening access to a wider community has demonstrated benefits. Opening to a wider community is also due to the availability of data preparation, data calibration, data reduction and data interpretation packages, in a word, documented, reliable and well behaved user-friendly software.
- Funding. In Europe, VLTI funding, including some development, is currently stable. France, through its funding by INSU of, e.g., JMMC, plays a supportive role for OI interferometry well beyond its contribution to ESO funding. Interferometry in the U.S. is not strongly supported by the Decadal report, and there are reduced opportunities at NSF but there is a possible future "mid-scale" funding opportunity. In the next 10+ years, the interferometry community must make the most of existing facilities and their obvious extensions.
- Possible facility options for the future on the decade+ time-scale include: Moderate development from existing facilities to much enhanced imaging capability; moderate development to fainter target capability.

- Possible options on the decade++ time-scale include: Major development of a super-facility; now is the time to build a consensus for the next major development.
- An International Interferometry Forum is needed and has numerous important roles.

# 4. Recommendations

- The Forum should have both on-going and annual activities.
- The Forum should develop a charter.
- The Forum should use the IAU banner as a Commission 54 activity; the Forum should engage IAU officers and members in Forum work.
- The Forum should hold annual meetings: Adjacent to SPIE in SPIE years; in alternate years adjacent to CHARA-NPOI meetings or schools.
- The Forum should publish Forum reports, including from this meeting.
- The Forum should foster long-term development of interferometry science directions.
- Roadmaps are needed including U.S.-Europe coordination of roadmaps which requires U.S. entity to develop roadmap.
- USIC should be revived, to develop a national consensus and to represent the U.S. to Europe.
- We encourage making catalogs of observed targets available.
- We encourage improved archive access.
- The U.S. community should consider "webinars" as a low-cost implementation of interferometry schools.
- U.S. PI's should be encouraged to propose to VLTI.
- Joint facility access CHARA-VLTI, CHARA-NPOI, NPOI-VLTI should be studied.
- The scope of the CHARA-NPOI meetings should be expanded, at least in SPIE off-years.
- OLBIN should be rebuilt in a supportable form, perhaps as a wiki.
- The community should make use of social media, including starting and maintaining an interferometry Facebook page.

# 5. Draft Forum "Charter" of the International Interferometry Forum

The Forum will organize occasions and channels for communication, facilitate coordination in planning, and encourage and promote opportunities for technical and scientific collaboration, both within and beyond the interferometry community.

The Forum will operate as an element of IAU Commission 54. The commission officers will take initiative and personal responsibility for ensuring some Forum activities. These will include: organizing annual Forum gatherings, continuation of the online OLBIN functionality in a more sustainable incarnation, and implementation of social media networking opportunities.

Forum participation will be open to the community. The IAU officers will call on and benefit from the support of Forum participants in carrying out their Forum responsibilities.

### 6. 2013 Forum Participants

Tom Armstrong (NRL); Jean-Philippe Berger (ESO); Fabien Baron (UMich / GSU); Jim Benson (USNO-FS); David Buscher (Univ. Cambridge); Michelle Creech-Eakman (NMT); Francoise Delplancke (ESO); Joshua Eisner (U. Arizona); Nicholas Elias (OAMS); Tom Herbst (MPIA-Heidelberg); Don Hutter (USNO-FS); Fabien Malbet (Grenoble); Denis Mourard (OCA); David Mozurkewich (Seabrook Engineering); Ifan Payne (NMT); Guy Perrin (Paris-Meudon); Romain Petrov (U. Nice); Steve Ridgway (NOAO); Robert Stencel (DU); Theo ten Brummelaar (GSU); Peter Tuthill (Univ. Sydney); Gerard van Belle (Lowell); Ed Wishnow (Berkeley SSL)

Acknowledgements. The editors of the 2013 Forum Report gratefully acknowledge the contributions of all of the forum participants.